

RESIN GARDEN LIGHTING


2011



fumagalli®
since 1973




years of history



1973 Thanks to the enterprise of Mr. Fumagalli Giancarlo, in 1973 an individual company called "La Bottega dei Maestri Forgiatori" was born in Varese (north of Italy) specialising itself in the artistic handwork of wrought iron indoor lightings. After five years of activity the company started to employ some workers and to open itself to foreign markets, in particular to the Japanese one



1984 An intuition of Mr. Fumagalli lead the company to an evolution, creating an innovative outdoor lightings production system, consisting of a galvanized steel tube covered by resin material. After some years of experimentation and the setting-up of adequate machineries, the product started to be appreciated all over the world.



1999 Fumagalli family decides to turn the individual company into a limited company, going on with the manufacturing of "composite material" outdoor lighting fixtures. The articles range increased thanks to the creation of many new models and the production capacity was multiplied by the use of computerized machineries. The recent settlement in the new company seat had definitively made Fumagalli S.r.l a worldwide leading company in the manufacturing of resin material outdoor lightings.

1973 Nasce a Varese, su iniziativa del Sig. Fumagalli una ditta individuale con il nome di "La Bottega dei Maestri Forgiatori", specializzata nella lavorazione artistica del ferro forgiato a mano. La produzione è costituita da lampade da interno. Dopo cinque anni l'azienda apre verso i mercati esteri (in particolare il Giappone), inizia ad assumere i primi dipendenti.


1984 Un'intuizione del Sig. Fumagalli porta l'azienda ad un'evoluzione, creando un ingegnoso processo produttivo di lampade da esterno, costituito da un'anima in acciaio galvanizzato rivestito in resina. Dopo anni di sperimentazioni e la faticosa messa a punto di un'attrezzatura adeguata, il prodotto comincia ad essere distribuito ed apprezzato in tutto il mondo.

1999 Subentrando alla ditta individuale, la famiglia Fumagalli decide di costituirsi in società, continuando la fabbricazione di lampade da esterno in materiale composito. Con la creazione di nuovi modelli viene ampliata l'offerta e con attrezzature robotizzate viene moltiplicata la produttività. La sistemazione nella nuova sede rende la società Fumagalli leader mondiale nel suo settore.



57 EXCLUSIVE DISTRIBUTORS

all over the world



Corporate Management

Geom. Giancarlo Fumagalli

Managing Director

Diplomato alla scuola tecnica per geometri,
è ideatore di questo sistema di lampade
in materiale composito.

Parla italiano e francese.

*Holder of a diploma by the technical high
school for building surveyor, he is the creator of
this composite material lighting system.
He speaks Italian and French.*



Dr. Marisa Rabuffetti

Finance Director

Laureata all'università di Milano
in scienze economiche, è insegnante
alle scuole superiori di tecnica
commerciale e bancaria.

Parla italiano, inglese e francese.
*Graduate by the Milan University in
economic sciences, she is teacher of
banking and commercial technique. She
speaks Italian, English and French.*



Dr. Chiara Fumagalli

Developing Dept. Manager

Laureata all'università di Milano
in filosofia, è diplomata in lingue
straniere: scrive e parla
italiano, inglese, tedesco e francese.
*Graduate by the Milan University in
philosophy, she is holder of a diploma
in foreign languages: she can speak
and write in Italian, English, German
French.*

Arch. Paolo Fumagalli

Technical Dept. Manager

Laureato in architettura al Politecnico di
Milano, ha conseguito
la specializzazione in illuminotecnica
all'università di Manchester (U. K.).

Parla italiano e inglese.
*Graduate in architecture by the
polytechnic University of Milan, he
achieved the specialization in lighting
technique by the University of
Manchester (U. K.).
He speaks Italian and English.*



Dr. Emmanuele Fumagalli



Assistant General Manager

Laureato in Giurisprudenza
all'università di Milano con
specializzazione in diritto
internazionale

Parla italiano e inglese.
*Graduate by the Milan
University in jurisprudence, he
achieved the specialization in
international law.
He speaks Italian and English.*



LED range

Lucia-LED 900	NEW	16
Maddi-LED 900	NEW	18
Sauro/Mirella LED 6W/18W	NEW	20





Bulkhead lamp range

Lucia	NEW	24
Lucia-EL	NEW	26
Lucia-GD	NEW	28
Maddi	NEW	30
Maddi-VE	NEW	32
Maddi-HL	NEW	34



Hexagonal lantern

Saba	38
Salem	40
Siloe	42
Anna	44
Rut	46
Noemi	48





Half lantern

Iesse	50
Daria	51






Square lantern

Cefa	52
Simon	54
Golia	56
Tobia	58





Globe

Globe250	60
Globe300-classic	62
Globe300-modern	64





Bollard





Sauro	68
Mirella	68



Recessed/Surface lamp

Leti 100 square/round	NEW	70
Leti 200	NEW	72
Leti 300	NEW	74
Extraleti 300	NEW	76
Postleti 300	NEW	78





CATALOGUES



With great pleasure we'd like to introduce you the new edition of our catalogue « **Resin Garden Lighting 2011** » for residential lighting. This edition is very rich in news and includes our new resin bulkhead and recessed lamps collection and a section entirely dedicated to products equipped with LED technology.




We remind you that are at your disposal also the Fumagalli catalogues "**Resin Project Lighting Classic Range 2009**" and "**Resin Project Lighting Modern Range 2010**" dedicated respectively to our classic and to our modern range for private, semi public and urban projects.

Please do not hesitate to ask for them at the e-mail address chiarafumagalli@fumagalli.it

*E' con grande piacere che vi presentiamo la nuova edizione del nostro catalogo « **Resin Garden Lighting 2011** » per illuminazione residenziale. Si tratta di un'edizione ricca di novità e comprendente la nostra nuova collezione di plafoniere e di incassi a muro in resina ed una sezione interamente dedicata ai prodotti equipaggiati con tecnologia a LED.*

*Vi ricordiamo inoltre che sono disponibili i cataloghi "**Resin Project Lighting Classic Range 2009**" e "**Resin Project Lighting Modern Range 2010**" dedicati rispettivamente alla nostra linea in stile classico ed in stile moderno per progetti privati, semi pubblici e urbani.*

Non esitate a richiederceli all'indirizzo e-mail chiarafumagalli@fumagalli.it





**Working for
a safer world**



All Fumagalli products are manufactured according to the most updated international standards and regulation and are CE marked in order to ensure to our worldwide customers the highest levels of quality in the full respect of environment and person.

As additional proof of our constant effort to improve our Company Quality System, we are proud to announce you that Fumagalli products definitively obtained also the C-UL-US certification Mark, as they meet the United States National Standard for Luminaires UL1598 and the Canadian National Standard for Luminaires CSA C22.2 No. 250.0

Fumagalli company is officially registered as a UL classified manufacturer and, upon request, a copy of the UL Certificate of Compliance can be provided to Fumagalli customers, together with the report about the following tests conducted on Fumagalli products: Grounding Continuity Test, Normal Temperature Test, Dielectric Voltage-Withstand Test, Rain Test, Sprinkler Test.

Tutti i prodotti Fumagalli sono fabbricati secondo le più aggiornate norme e standard internazionali e sono marcati CE, in modo da assicurare ai nostri clienti in tutto il mondo i più alti livelli di qualità nel pieno rispetto dell'ambiente e delle persone.

A riprova del nostro costante sforzo di implementare il nostro sistema di qualità, siamo orgogliosi di annunciarvi che i prodotti Fumagalli hanno ottenuto in via definitiva anche la certificazione

C-UL-US, essendo conformi agli standard statunitensi UL1598 per apparecchi illuminanti e agli standard canadesi CSA C22.2 No. 250.0

La ditta Fumagalli è stata ufficialmente registrata all'interno dell'albo dei fabbricanti certificati UL e, su richiesta, una copia del certificato di conformità UL può essere fornito a tutti i clienti Fumagalli, insieme con i report dei seguenti test condotti sui prodotti Fumagalli: Grounding Continuity Test, Normal Temperature Test, Dielectric Voltage-Withstand Test, Rain Test, Sprinkler Test.



ESTABLISHMENT



We are proud to define ourselves as a "pure Italian manufacturer": all our products are strictly manufactured inside our factory located in Varese (Italy), enabling us to have a full control about the quality and performance of our products.

Siamo orgogliosi di poterci definire come fabbricanti italiani "puri": tutti i nostri prodotti sono rigorosamente fabbricati all'interno dei nostri stabilimenti di Varese (Italia), permettendoci così di esercitare un pieno controllo sulla qualità e sulle prestazioni dei nostri prodotti





Member of
**CONFEDERATION OF
ITALIAN INDUSTRY**

300mq OFFICE
2700mq PRODUCTION
1500mq ASSEMBLY
1500mq COMPONENTS STOCK



WAREHOUSE



Mould construction department

New hi-tech work stations working only for the construction of our moulds enable us to update constantly our collection with new products manufactured in accordance with the most advanced lighting solutions. An internal mould construction division means also full control on the quality of our product in all its details and a continuous and regular maintenance of the many existing moulds.

Reparto costruzione stampi

Nuovi centri di lavoro dedicati esclusivamente alla costruzione dei nostri stampi, ci permettono di aggiornare costantemente la nostra collezione con numerosi prodotti nuovi, fabbricati secondo le più moderne tecnologie e in accordo con le più recenti soluzioni illuminotecniche. Una divisione interna per la costruzione degli stampi significa anche totale controllo sulla qualità del prodotto nei suoi minimi dettagli e possibilità di effettuare una regolare e costante manutenzione sui numerosi stampi esistenti.

WIRE ELECTRICAL DISCHARGE MACHING



CNC SURFACE GRINDER



CNC WORKSTATION



CNC LATHE



Industrial production process in different phases

A successful synergy between the ten-year-long experience of a qualified staff and the use of modern automatic machineries with the most updated technologies.

PLASMA CUTTING MACHINE



RESIN INJECTION



Processo di produzione industriale in diverse fasi

Un'efficace sinergia tra la decennale esperienza di personale qualificato e l'utilizzo di macchinari automatici dotati delle più moderne tecnologie.

BLACK STEEL WELDING



RESIN EXTRUSION



WAREHOUSE



Warehouse

Fumagalli stock of components and semi - finished products is maintained at the best levels to ensure prompt delivery of standard products and fast preparation of special or large quantity orders.

Magazino

Lo stock Fumagalli di componenti e semi-lavorati viene mantenuto a livelli ottimali per assicurare pronte consegne dei prodotti standard ed una veloce esecuzione di richieste speciali o per grandi quantità.



COMPONENTS STOCK



READY POLES STOCK



Assembly department

The assembly, electrification and packing department allows us to ship the products ready for installation to meet customer's needs.

Reparto di assemblaggio

Il reparto di assemblaggio, elettrificazione ed imballaggio ci consente di spedire i nostri prodotti già pronti per l'installazione e personalizzati secondo le necessità del cliente.

ASSEMBLY AND ELECTRIFICATION



PACKING




CARTON STOCK



GOODS READY FOR SHIPMENT





Questo singolare sistema di fabbricazione offre molti vantaggi; infatti le nostre lampade:

- sono inattaccabili dalla corrosione;
- sono inalterabili nei loro colori trattati ai raggi U.V.;
- godono di un doppio isolamento;
- sono rigide e resistenti agli urti;
- usano un materiale ignifugo;
- sono leggere e facili da trasportare;
- sono fabbricate secondo le norme della Comunità Europea.



Our production system offers many advantages :

- protection against corrosion;
- not-fading thanks to their U.V. ray treated colours;
- double insulated;
- rigid and shockproof;
- manufactured from fireproof materials;
- light and easy to transport;
- manufactured according to European Community's instructions.



STEEL STRUCTURE




hot dip galvanized inside and outside by zinc bath immersion

EXPANSE

stiff polyurethane

OUTER RESIN






Pole of a single piece made
OF SHOCKPROOF POLYMER
COLOURED IN PASTE
UV-RAY STABILIZED
SELF EXTINGUISHING ON FIRE
NO CHEMICAL AGENTS CORROSION



RECYCLABLE UV TREATED

CLASS II

DOUBLE INSULATION



ANTI-SHOCK

TEMPERATURE

ENERGY SAVING

RESIDENTIAL

PUBLIC



THOUSANDS OF DIFFERENT
POSSIBLE COMBINATIONS

NO MAINTENANCE



ANTI CORROSION



UV - RAY STABILIZED




DOUBLE INSULATION




LED RANGE





LUCIA LED 900

- Round bulkhead lamp equipped with LED plate to allow a uniform light distribution. Made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation. Insulation class II, protection rating IP66.
- Plafoniera circolare completa di piatto a LED per permettere un'uniforme distribuzione della luce. Fabbricata in POLICARBONATO antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il fissaggio a parete, a soffitto o a palo. Classe di isolamento II, grado di protezione IP66.



BULKHEAD COMPONENTS - LED VERSION

LED
150 LED x 6 Lm
**PCB
LUMINOUS
FLUX
900 lm**
**VIEW ANGLE
120°**
**COLOR TEMP.
KELVIN
6000K**


- Shockproof polycarbonate cover. Ring, eyelid and guard versions available.
- Cover in policarbonato antiurto, disponibile nella versione ad anello, a palpebra e a manubrio.


- Polymethylmethacrylate (PMMA) diffuser provided with high quality silicone rubber gasket.
- Diffusore in polimetilmetacrilato (PMMA) completo di guarnizione in gomma ad alta qualità.


- Printed circuit board with round shape provided with 150 LED x 6 lm each for a total luminous flux of 900 lm. Radial setting of the luminous sources to allow a uniform light distribution.
- Circuito stampato circolare con alloggiati 150 LED da 6 lm ciascuno per un flusso luminoso totale di 900 lm. Disposizione a raggiera delle sorgenti luminose per permettere un'uniforme distribuzione della luce.

- Base made in shockproof polycarbonate, UV rays stabilized, provided with 150mA constant current driver.
- Base realizzata in policarbonato antiurto, stabilizzato ai raggi UV, completa di alimentatore 150mA a corrente costante.

LUCIA LED 900
1R3.000.L11

Pcs 24
Kg 24
mc 0,239

LUCIA-EL LED 900
2R3.000.L11

Pcs 24
Kg 24
mc 0,239

LUCIA-GD LED 900
3R3.000.L11

Pcs 24
Kg 24
mc 0,239


High energy efficiency : the LED version of "Lucia" bulkhead supplies an increased amount of light with reduced consumption compared to traditional light sources.

		11W LED		23W fluorescent		100W incandescent
LUMEN IN OPAL BULKHEAD		586 lm		584 lm		584 lm
ENERGY COST		BIG SAVE		+100%		+800%
LIFE TIME		50.000 h		10.000 h		1.000 h
CO₂ POLLUTION		NO		YES		YES

Moulded colours:
Black - White - Grey
Diffuser PMMA:
Opal - Transparent


Backlit colours:



All the data are referred to the performance of the light sources once fixed inside "Lucia" bulkhead with opal diffuser.

MADDI LED 900

- Oval bulkhead lamp equipped with LED plate to allow a uniform light distribution. Made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation. Insulation class II, protection rating IP66.
- Plafoniera ovale completa di piatto a LED per permettere un'uniforme distribuzione della luce. Fabbricata in POLICARBONATO antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il fissaggio a parete, a soffitto o a palo. Classe di isolamento II, grado di protezione IP66.



BULKHEAD COMPONENTS - LED VERSION

LED
150 LED x 6 Lm

 PCB
LUMINOUS
FLUX
900 lm

 VIEW ANGLE
120°

 COLOR TEMP.
KELVIN
6000K

■ Shockproof polycarbonate cover. Ring, vertical and horizontal eyelid versions available.

■ Cover in policarbonato antiurto, disponibile nella versione ad anello e a palpebra verticale o orizzontale.

■ Polymethylmethacrylate (PMMA) diffuser provided with high quality silicone rubber gasket.

■ Diffusore in polimetilmetacrilato (PMMA) completo di guarnizione in gomma ad alta qualità.

■ Printed circuit board with round shape provided with 150 LED x 6 lm each for a total luminous flux of 900 lm. Radial setting of the luminous sources to allow a uniform light distribution.

■ Circuito stampato circolare con alloggiati 150 LED da 6 lm ciascuno per un flusso luminoso totale di 900 lm. Disposizione a raggiera delle sorgenti luminose per permettere un'uniforme distribuzione della luce.

■ Base made in shockproof polycarbonate, UV rays stabilized, provided with 150mA constant current driver.


■ Base realizzata in policarbonato antiurto, stabilizzato ai raggi UV, completa di alimentatore 150mA a corrente costante.

MADDI LED 900

1V3.000.L11

 Pcs 24
Kg 24
mc 0,1966


— 230 — · 90 ·


MADDI-VE LED 900

2V3.000.L11

 Pcs 24
Kg 24
mc 0,1966


— 90 — · 90 ·


MADDI-HL LED 900

3V3.000.L11

 Pcs 24
Kg 24
mc 0,1966

— 330 — · 90 ·




High energy efficiency : the LED version of "Maddi" bulkhead supplies an increased amount of light with reduced consumption compared to traditional light sources.

	 11W LED	 23W fluorescent	 100W incandescent
LUMEN IN OPAL BULKHEAD	586 lm	584 lm	584 lm
ENERGY COST	BIG SAVE	+100%	+800%
LIFE TIME	50.000 h	10.000 h	1.000 h
CO ₂ POLLUTION	NO	YES	YES

 Moulded colours:
Black - White - Grey

 Diffuser PMMA:
Opal - Transparent

Backlit colours:



All the data are referred to the performance of the light sources once fixed inside "Maddi" bulkhead with opal diffuser.

SAURO LED 6W/18W



■ Cylindrical heatsink made of concentric aluminium thin plates fixed on a printed circuit board provided with 6 power LED.
 ■ Dissipatore di calore di forma cilindrica a lamelle di alluminio concentriche completo di circuito stampato con alloggiati 6 LED ad alta potenza.

■ Cone reflector to direct downwards the lighting output. Available in white resin (standard version) or brushed aluminium (optional).
 ■ Cono riflettente per indirizzare verso il basso il flusso luminoso. Disponibile nella versione in resina bianca (standard) o in alluminio satinato (optional).

■ Driver available in 2 different versions as follows
 ■ Alimentatore disponibile in 2 diverse versioni
 6LEDx1W 350mA
 6LEDx3W 700mA







D15.554.L18CMS



D15.553.L18.CRB



D15.505.L06CRB



WHITE RESIN

H.CRB (standard)



BRUSHED ALUMINIUM


H.CMS (optional)



ENERGY SAVING

■ Bollard range equipped with long-life, powerful and efficient white light LED system, to allow a uniform light distribution for a safer and more enjoyable night atmosphere. Made in shockproof resin material UV rays stabilized, rust and corrosion-free. Insulation class II, protection rating IP55.

■ Gamma di bollard con sistema a LED a luce bianca di lunga durata ed alta potenza per permettere un'uniforme distribuzione della luce ed un'atmosfera notturna sicura e gradevole. Fabbricati in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Classe di isolamento II, grado di protezione IP55.



	lumen (lm)	E med (lux)	Power consumption (Watt)	life time (h)	light colour (°K)	Energy cost saving
15W 	990	29	15	10000	4000	
6x1W 	480	32	7	50000	6300	SAVE -57%
SON70W 	5600	63	87	9000	2000	
6x3W 	660	68	19	40000	6300	SAVE -78%

All photometric data are referred to "Sauro 1100", placed in a 3x3 mt area.



Bulkhead Lamp

Lucia range



1R3.612.010



2R3.612.010



1R3.602



3R3.000.GN1

Maddi range



1V3.000.GN1



2V3.613.X10



1V3.613.X20




1V3.000



1R3.000.CL1




1R3.602



1R3.612.010




1R3.000.OR1



1R3.613.X20


LUCIA W/BACKLIT

1R3.000.*




*To order the backlit version of LUCIA bulkhead, the following suffixes have to be added at the end of the code

Pcs 24
Kg 24
mc 0,239

PK1 PINK **GN1** GREEN **OR1** ORANGE **BU1** BLUE **CL1** CLEAR

REMI/LUCIA

1R3.602




Pcs 16
Kg 16
mc 0,239

LUCIA

1R3.000

Pcs 24
Kg 24
mc 0,239

CFL E27
MAX 180 mm

LED

Moulded colours:
Black - White - Grey

Diffuser PMMA:

Opal - Transparent

■ Round bulkhead lamp with ring version cover made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation.

■ Plafoniera circolare con cover ad anello, in POLICARBONATO antiurto stabilizzato ai raggi UV inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a palo.

Backlit colours:

green**blue****pink****orange****clear**


SUITABLE LAMPS ref.code

	23W ENERGY SAVING LAMP ONLY	E27	.E27
	7W 9W	G23 G23	.01G
	2X5W 2X7W 2X9W	G23 G23 G23	.02G
	26W	G24d-3	.03G
	16W	GR8	.04G
	11W	LED	.L11


GABRI/LUCIA 1L


1R3.613.010

Pcs 1
Kg 4
mc 0,097


GABRI/LUCIA 2L


1R3.613.020

Pcs 1
Kg 6,5
mc 0,097


GABRI REMI/LUCIA 1L


1R3.613.X10

Pcs 1
Kg 4,5
mc 0,097


GABRI REMI/LUCIA 2L


1R3.613.X20

Pcs 1
Kg 6,5
mc 0,097


MINIGABRI/LUCIA 1L


1R3.612.010

Pcs 1
Kg 4
mc 0,065


MINIGABRI/LUCIA 2L


1R3.612.020

Pcs 1
Kg 6
mc 0,065


MINIGABRI REMI/LUCIA 1L


1R3.612.X10

Pcs 1
Kg 4
mc 0,065


MINIGABRI REMI/LUCIA 2L

1R3.612.X20

Pcs 1
Kg 6,5
mc 0,065






2R3.602




2R3.000



2R3.612.010




2R3.613.020



2R3.612.X20.OR1


LUCIA-EL W/BACKLIT

2R3.000.*



*To order the backlit version of LUCIA-EL bulkhead, the following suffixes have to be added at the end of the code

Pcs 24
Kg 24
mc 0,239


PK1 PINK **GN1** GREEN **OR1** ORANGE **BU1** BLUE **CL1** CLEAR

GABRI/LUCIA-EL 1L

2R3.613.010

Pcs 1
Kg 4
mc 0,097


— 240 —


GABRI/LUCIA-EL 2L

2R3.613.020

Pcs 1
Kg 6,5
mc 0,097


— 240 —


GABRI REMI/LUCIA-EL 1L

2R3.613.X10

Pcs 1
Kg 4,5
mc 0,097


— 325 —


GABRI REMI/LUCIA-EL 2L

2R3.613.X20

Pcs 1
Kg 6,5
mc 0,097


— 410 —


MINIGABRI/LUCIA-EL 1L

2R3.612.010

Pcs 1
Kg 4
mc 0,065


— 240 —


MINIGABRI/LUCIA-EL 2L

2R3.612.020

Pcs 1
Kg 6
mc 0,065


— 240 —


MINIGABRI REMI/LUCIA-EL 1L

2R3.612.X10

Pcs 1
Kg 4
mc 0,065


— 325 —


MINIGABRI REMI/LUCIA-EL 2L

2R3.612.X20

Pcs 1
Kg 6,5
mc 0,065


— 410 —


LUCIA-EL

2R3.000

Pcs 24
Kg 24
mc 0,239

— 300 — .90 .
300



Moulded colours:

Black - White - Grey

Diffuser PMMA:

Opal - Transparent

■ Round bulkhead lamp with eyelid version cover made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation.


■ Plafoniera circolare con cover a palpebra, in POLICARBONATO antiurto stabilizzato ai raggi UV inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a polo.

Backlit colours:


SUITABLE LAMPS ref.code

	23W	E27	.E27
	7W 9W	G23 G23	.01G
	2X5W	G23	.02G
	2X7W	G23	
	2X9W	G23	
	26W	G24d-3	.03G
	16W	GR8	.04G
	11W	LED	.L11





3R3.000.GN1



3R3.000



3R3.613.010




3R3.613.020



3R3.612.X10


LUCIA-GD W/BACKLIT

3R3.000.*




*To order the backlit version of LUCIA-GD bulkhead, the following suffixes have to be added at the end of the code

Pcs 24
Kg 24
mc 0,239

PK1 PINK **GN1** GREEN **OR1** ORANGE **BU1** BLUE **CL1** CLEAR

REMI/LUCIA-GD

3R3.602




Pcs 16
Kg 16
mc 0,239

GABRI/LUCIA-GD 1L


3R3.613.010

Pcs 1
Kg 4
mc 0,097


GABRI/LUCIA-GD 2L


3R3.613.020

Pcs 1
Kg 6,5
mc 0,097


GABRI REMI/LUCIA-GD 1L


3R3.613.X10

Pcs 1
Kg 4,5
mc 0,097


GABRI REMI/LUCIA-GD 2L


3R3.613.X20

Pcs 1
Kg 6,5
mc 0,097


MINIGABRI/LUCIA-GD 1L


3R3.612.010

Pcs 1
Kg 4
mc 0,065


MINIGABRI/LUCIA-GD 2L


3R3.612.020

Pcs 1
Kg 6
mc 0,065


MINIGABRI REMI/LUCIA-GD 1L


3R3.612.X10

Pcs 1
Kg 4
mc 0,065


MINIGABRI REMI/LUCIA-GD 2L

3R3.612.X20


Pcs 1
Kg 6,5
mc 0,065


LUCIA-GD

3R3.000

Pcs 24
Kg 24
mc 0,239

— 300 — — 90 —
300 90



Moulded colours:

Black - White - Grey

Diffuser PMMA:

Opal - Transparent

■ Round bulkhead lamp with guard version cover made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation.

■ Plafoniera circolare con cover a manubrio, in POLICARBONATO antiurto stabilizzato ai raggi UV inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a polo.


Backlit colours:



SUITABLE LAMPS


	23W	E27	.E27
	7W 9W	G23 G23	.01G
	2X5W 2X7W 2X9W	G23 G23 G23	.02G
	26W	G24d-3	.03G
	16W	GR8	.04G
	11W	LED	.L11






MADDI W/BACKLIT

1V3.000.*




*To order the backlit version of MADDI bulkhead, the following suffixes have to be added at the end of the code

Pcs 24
Kg 24
mc 0,196

PK1 PINK **GN1** GREEN **OR1** ORANGE **BU1** BLUE **CL1** CLEAR

REMI/MADDI

1V3.602



Pcs 16
Kg 16
mc 0,196

GABRI/MADDI 1L


1V3.613.010

Pcs 1
Kg 4
mc 0,097

— 240 —

1000

Ø 240


GABRI/MADDI 2L

1V3.613.020

Pcs 1
Kg 6,5
mc 0,097

— 240 —

1000

Ø 240


GABRI REMI/MADDI 1L


1V3.613.X10

Pcs 1
Kg 4,5
mc 0,097

— 325 —

1000

Ø 240


GABRI REMI/MADDI 2L


1V3.613.X20

Pcs 1
Kg 6,5
mc 0,097

— 420 —

1000

Ø 240


MINIGABRI/MADDI 1L


1V3.612.010

Pcs 1
Kg 4
mc 0,065

— 240 —

750

Ø 240


MINIGABRI/MADDI 2L


1V3.612.020

Pcs 1
Kg 6
mc 0,065

— 240 —

750

Ø 240


MINIGABRI REMI/MADDI 1L


1V3.612.X10

Pcs 1
Kg 4
mc 0,065

— 325 —

750

Ø 240


MINIGABRI REMI/MADDI 2L


1V3.612.X20

Pcs 1
Kg 6,5
mc 0,065

— 420 —


750

Ø 240


MADDI

1V3.000

Pcs 24
Kg 24
mc 0,196



PAG. 93 CFL E27 MAX 180 mm LED

Moulded colours:

Black - White - Grey

Diffuser PMMA:

Opal - Transparent

■ Oval bulkhead lamp with ring version cover made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation.

■ Plafoniera ovale con cover ad anello, in POLICARBONATO antirusto stabilizzato ai raggi UV inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a palo.


Backlit colours:

green **blue** **pink** **orange** **clear**

SUITABLE LAMPS


	23W	E27	.E27
←MAX 180mm→ ENERGY SAVING LAMP ONLY			
	7W 9W	G23 G23	.01G
	2X5W 2X7W 2X9W	G23 G23 G23	.02G
	26W	G24d-3	.03G
	16W	GR8	.04G
	11W	LED	.L11





MADDI-VE W/BACKLIT

2V3.000.*




*To order the backlit version of MADDI-VE bulkhead, the following suffixes have to be added at the end of the code

Pcs 24
Kg 24
mc 0,196

PK1 PINK **GN1** GREEN **OR1** ORANGE **BU1** BLUE **CL1** CLEAR

REMI/MADDI-VE

2V3.602



Pcs 16
Kg 16
mc 0,196

GABRI/MADDI-VE 1L

2V3.613.010

Pcs 1
Kg 4
mc 0,097

— 240 —

1000

Ø 240

MINIGABRI/MADDI-VE 1L

2V3.612.010

Pcs 1
Kg 4
mc 0,065

— 240 —

750

Ø 240

GABRI/MADDI-VE 2L

2V3.613.020

Pcs 1
Kg 6,5
mc 0,097

— 240 —

1000

Ø 240

MINIGABRI/MADDI-VE 2L

2V3.612.020

Pcs 1
Kg 6
mc 0,065

— 240 —

750

Ø 240

GABRI REMI/MADDI-VE 1L

2V3.613.X10

Pcs 1
Kg 4,5
mc 0,097

— 325 —

1000

Ø 240

MINIGABRI REMI/MADDI-VE 1L

2V3.612.X10

Pcs 1
Kg 4
mc 0,065

— 325 —

750

Ø 240

GABRI REMI/MADDI-VE 2L

2V3.613.X20

Pcs 1
Kg 6,5
mc 0,097

— 420 —

1000

Ø 240

MINIGABRI REMI/MADDI-VE 2L

2V3.612.X20

Pcs 1
Kg 6,5
mc 0,065

— 410 —


750

Ø 240

MADDI-VE

2V3.000

Pcs 24
Kg 24
mc 0,196



Moulded colours:

Black - White - Grey

Diffuser PMMA:

Opal - Transparent

■ Oval bulkhead lamp with vertical eyelid cover made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation.

■ Plafoniera ovale con cover a palpebra verticale, in POLICARBONATO antiurto stabilizzato ai raggi UV inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a palo.

Backlit colours:

green

blue

pink

orange

clear

SUITABLE LAMPS ref.code


	23W	E27	.E27
	7W 9W	G23 G23	.01G
	2X5W 2X7W 2X9W	G23 G23 G23	.02G
	26W	G24d-3	.03G
	16W	GR8	.04G
	11W	LED	.L11





MADDI-HL W/BACKLIT

3V3.000.*




*To order the backlit version of MADDI-HL bulkhead, the following suffixes have to be added at the end of the code

Pcs 24
Kg 24
mc 0,196

PK1	GN1	OR1	BU1	CL1
PINK	GREEN	ORANGE	BLUE	CLEAR

REMI/MADDI-HL

3V3.602




Pcs 16
Kg 16
mc 0,196

GABRI REMI/MADDI-HL 1L


3V3.613.X10

Pcs 1
Kg 4,5
mc 0,097


GABRI REMI/MADDI-HL 2L


3V3.613.X20

Pcs 1
Kg 6,5
mc 0,097


MINIGABRI REMI/MADDI-HL 1L


3V3.612.X10

Pcs 1
Kg 4
mc 0,065


MINIGABRI REMI/MADDI-HL 2L


3V3.612.X20

Pcs 1
Kg 6,5
mc 0,065


MADDI-HL

3V3.000

Pcs 24
Kg 24
mc 0,196



Moulded colours:

Black - White - Grey

Diffuser PMMA:

Opal - Transparent

■ Oval bulkhead lamp with horizontal eyelid cover made in shockproof POLYCARBONATE material, UV-rays stabilized, rust and corrosion-free. Suitable for wall, ceiling and post installation.

■ Plafoniera ovale con cover a palpebra orizzontale, in POLICARBONATO antiurto stabilizzato ai raggi UV inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a palo.

Backlit colours:

green**blue****pink****orange****clear**


SUITABLE LAMPS

ref.code

	23W MAX 180mm ENERGY SAVING LAMP ONLY	E27	.E27
	7W 9W	G23 G23	.01G
	2X5W 2X7W 2X9W	G23 G23 G23	.02G
	26W	G24d-3	.03G
	16W	GR8	.04G
	11W	LED	.L11




Garden Line





U23.111



E26.131



Q33.162















E35.132




D15.555





- E 27 - MAX 60W**
- 6 FACES LANTERN SMALL SIZE**
- Lampade in resina con lanterna SABA elettrificate e complete di viti per il fissaggio
 - Resin lamps with SABA lantern pre-wired and complete with screws for fixing
 - Lampes en résine avec lanterne SABA précablées et completes avec vis de fixation
 - Kunstharzlampen mit elektrifizierte Laterne SABA und mit allen Befestigungsschrauben versehen
 - Lamparas de resina con cabeza SABA electrificada y con tornillos para su fijacion
 - Armadura em resina, com lanterna SABA electrificada y com acessorios de fixacao







BISSO/SALEM	K26.131
	Pcs 2 Kg 7,4 mc 0,121
315 500 315 500	12 Kg 20,8 mc 0,225

ALOÉ.R/SALEM	K26.163 resin
	Pcs 2 Kg 7,4 mc 0,121
1500 Ø 190 530	12 Kg 20,8 mc 0,225

MIZAR.R/SALEM	K26.151 resin
	Pcs 1 Kg 3,5 mc 0,07
260 Ø 50 1150 Ø 150	1100 Ø 190

IAFET.R/SALEM	K26.162 resin
	Pcs 2 Kg 7,3 mc 0,086
260 1100 Ø 190	260 1100 Ø 190

SALEM	K26.000
	260 410 Ø 60 1 Kg 1,26 mc 0,018

Colours:

moulded Black - White - Green
 painted Antique Green
 Antique Bronze
 Diffuser: Transparent - Opal

E 27 - MAX 60W

6 FACES LANTERN MEDIUM SIZE

- Lampade in resina con lanterna SALEM elettrificate e complete di viti per il fissaggio
- Resin lamps with SALEM lantern pre-wired and complete with screws for fixing
- Lampes en résine avec lanterne SALEM précabées et completes avec vis de fixation
- Kunstharzlampen mit elektrifizierte Laterne SALEM und mit allen Befestigungsschrauben versehen
- Lamparas de resina con cabeza SALEM electricada y con tornillos para su fijacion
- Armadura em resina, com lanterna SALEM electricada y com acessorios de fixacao

PORPORA/SALEM	K26.141
	590 540 Pcs 1 Kg 4 mc 0,034
260 540	12 Kg 20,8 mc 0,225

SICHEM/SALEM	K26.120
	260 850 12 Kg 20,8 mc 0,225
260 850	12 Kg 20,8 mc 0,225

RICU BISSO/SALEM 2+1	K26.157.S21 expanse, resin & steel
	2600 3+1 2600 3+1 1 Kg 15,2 mc 0,214


RICU BISSO/SALEM 3+1	K26.157.S31 expanse, resin & steel
	2600 3+1 2600 3+1 1 Kg 16,2 mc 0,214

ARTU'/SALEM	K26.158 expanse, resin & steel
	260 1920 260 1920 1 Kg 9,6 mc 0,148

GIGI/SALEM	K26.156 expanse, resin & steel
	260 2130 260 2130 1 Kg 11,6 mc 0,172

RICU BISSO/SALEM 2L	K26.157.S20 expanse, resin & steel
	690 2500 2 2500 2


RICU BISSO/SALEM 3L	K26.157.S30 expanse, resin & steel
	640 2500 3 2500 3







OFIR/SILOE


K35.132


ADAM/SILOE


K35.171


SICHEM/SILOE


K35.121


SILOE


K35.000


LOT/SILOE

K35.113



MIRRA/SILOE

K35.142


RICU/SILOE


K35.157 expanse resin & steel

350


GIGI/SILOE


K35.156 expanse resin & steel

350



ARTU'/SILOE

K35.158 expanse resin & steel

350


ALOE'R/SILOE

K35.163 resin


IAFET.R/SILOE


K35.162 resin

350





	GLS MAX 100W E27	SL 25W E27	CFL 23W E27	WITHOUT BALLAST
CLOSED DIFFUSER IP 55	MBF 50W E27 80W E27	SON 50W E27 70W E27	HQL 70W E27	WITH BALLAST











BISSO/ANNA	E22.131
	275 275 450 450 Pcs 18 Kg 20,08 mc 0,209


PORPORA/ANNA	E22.141
	510 490 Pcs 1 Kg 3,5 mc 0,024


SICHEM/ANNA	E22.120
	800 Pcs 18 Kg 22,8 mc 0,209


MIKROLOT/ANNA	E22.110
	385 Ø 130 Pcs 18 Kg 22,8 mc 0,209


ANNA	E22.000
	220 220 310 Pcs 1 Kg 1 mc 0,011 Ø 60 E27 MAX 60 W E27 MAX 160 mm
	Colours:


ARTU' BISSO/ANNA 2+1	E22.158.S21
	560 1980 2+1 Pcs 1 Kg 12,1 mc 0,176


ARTU' BISSO/ANNA 3+1	E22.158.S31
	560 1980 3+1 Pcs 1 Kg 13,1 mc 0,176


GIGI BISSO/ANNA 2+1	E22.156.S21
	560 2300 2+1 Pcs 1 Kg 14,1 mc 0,182


GIGI BISSO/ANNA 3+1	E22.156.S31
	560 2300 3+1 Pcs 1 Kg 15,1 mc 0,182



ARTU' BISSO/ANNA 2L	E22.158.S20
	610 1850 2 Ø 245 Pcs 1 Kg 11,1 mc 0,176

ARTU' BISSO/ANNA 3L	E22.158.S30
	610 1850 3 Ø 245 Pcs 1 Kg 12,1 mc 0,176

GIGI BISSO/ANNA 2L	E22.156.S20
	610 2090 2 Ø 245 Pcs 1 Kg 13,1 mc 0,182

GIGI BISSO/ANNA 3L	E22.156.S30
	560 2090 3 Ø 245 Pcs 1 Kg 14,1 mc 0,182

MIZAR.R/ANNA	E22.151 resin
	220 1100 Ø 50 Ø 150 Pcs 1 Kg 3 mc 0,044






E26.157. S30



E26.157. S21



E26.151



E26.131



E26.111



E26.120



BISSO/RUT	E26.131
	315 315 500 500 Pcs 2 Kg 7,4 mc 0,121
	12 Kg 20,8 mc 0,225

ALOÉ.R/RUT	E26.163 resin
	1500 Pcs 2 Kg 7,4 mc 0,121
	Ø190

MIZAR.R/RUT	E26.151 resin
	260 1150 Ø 50 Pcs 1 Kg 3,5 mc 0,07
	Ø 150

IAFET.R/RUT	E26.162 resin
	260 1100 Ø 60 Pcs 2 Kg 7,3 mc 0,086
	Ø 190

RUT	E26.000
	410 Ø 60 Pcs 1 Kg 1,26 mc 0,018
	Ø 50
	E27 MAX 60 W
	E27 MAX 190 mm

Colours:

moulded Black - White - Green
painted Antique Green
Antique Bronze
Diffuser: Transparent - Opal

E 27 - MAX 60W

6 FACES LANTERN MEDIUM SIZE

- Lampade in resina con lanterna RUT elettrificate e complete di viti per il fissaggio
- Resin lamps with RUT lantern pre-wired and complete with screws for fixing
- Lampes en résine avec lanterne RUT précablées et completes avec vis de fixation
- Kunstharzlampen mit elektrifizierte Laterne RUT und mit allen Befestigungsschrauben versehen
- Lamparas de resina con cabeza RUT electricada y con tornillos para su fijacion
- Armadura em resina, com lanterna RUT electrificada y con accesorios de fixacao

PORPORA/RUT	E26.141
	590 540 Pcs 1 Kg 4 mc 0,034

SICHEM/RUT	E26.120
	850 Pcs 12 Kg 20,8 mc 0,225

RICU BISSO/RUT 2+1	E26.157.S21 expanse, resin & steel
	2600 2+1 Pcs 1 Kg 15,2 mc 0,214


RICU BISSO/RUT 3+1	E26.157.S31 expanse, resin & steel
	2600 3+1 Pcs 1 Kg 16,2 mc 0,214


ARTU'/RUT	E26.158 expanse, resin & steel
	260 1920 Pcs 1 Kg 9,6 mc 0,148

GIGI/RUT	E26.156 expanse, resin & steel
	260 2130 Pcs 1 Kg 11,6 mc 0,172

RICU BISSO/RUT 2L	E26.157.S20 expanse, resin & steel
	690 2500 2 Pcs 1 Kg 14,2 mc 0,214

RICU BISSO/RUT 3L	E26.157.S30 expanse, resin & steel
	640 2500 3 Pcs 1 Kg 15,2 mc 0,214







E35.142


OFIR/NOEMI


E35.132


ADAM/NOEMI



E35.171


SICHEM/NOEMI


E35.121


NOEMI


E35.000


LOT/NOEMI

E35.113


MIRRA/NOEMI

E35.142



Pcs 1
Kg 11
mc 0,083

ALOE'R/NOEMI


E35.163 resin




	GLS MAX 100W E27	SL 25W E27	CFL 23W E27	WITHOUT BALLAST
CLOSED DIFFUSER IP 55	MBF 50W E27 80W E27	SON 50W E27 70W E27	HQI 70W E27	WITH BALLAST

RICU/NOEMI



E35.157 expanse resin & steel


GIGI/NOEMI


E35.156 expanse resin & steel



ARTU'/NOEMI

E35.158 expanse resin & steel


IAFET.R/NOEMI

E35.162 only resin







Colours:

moulded **Black - White - Green**painted **Antique Green****Antique Bronze**Diffuser: **Transparent - Opal**

- **Lanterna IESSE in resina elettrificata e completa di viti per il fissaggio**
- **IESSE resin lantern pre-wired and complete with screws for fixing**
- **Lanterne en résine IESSE précablées et complète avec vis de fixation**
- **Elektrifizierte Kunstharzlaterne IESSE mit allen Befestigungsschrauben versehen**
- **Cabeza de resina IESSE electricada y con tornillos para su fijacion**
- **Lanterna em resina IESSE electricada y com acessorios de fixacao**

GLS MAX	60W	E27
SL	25W	E27
CL	23W	E27





Colours:

moulded **Black - White - Green**

painted **Antique Green**

Antique Bronze

Diffuser: **Transparent - Opal**

WITHOUT BALLAST	GLS MAX	100 W	E27
	SL	25 W	E27
	CFL	23 W	E27
WITH BALLAST	MBF	50 W	E27
		80 W	E27
	SON	50 W	E27
		70 W	E27
	HQI	70 W	E27



■ Lanterna DARIA in resina elettrificata e completa di viti per il fissaggio


■ DARIA resin lantern pre-wired and complete with screws for fixing





■ Lanterne en résine DARIA précablées et complète avec vis de fixation

■ Elektrifizierte Kunstharzlaternen DARIA mit allen Befestigungsschrauben versehen

■ Cabeza de resina DARIA electrificada y con tornillos para su fijacion

■ Lanterna em resina DARIA electrificada y com acessorios de fixacao





Colours:











moulded Black - White - Green
painted Antique Green
Antique Bronze

Diffuser: Transparent - Opal











E 27 - MAX 60W

4 FACES LANTERN MEDIUM SIZE

■ Resin lamps with CEFA lantern pre-wired and complete with screws for fixing
























	GLS MAX 100W E27	SL 25W E27	CL 23W E27	WITHOUT BALLAST
CLOSED DIFFUSER IP 55	MBF 50W E27 80W E27	SON 50W E27 70W E27	HQI 70W E27	
OPEN DIFFUSER*	MBF 125W E27 SON 100W E40 HQI 100W E40			

WHITE ALUMINIUM	CHROME ALUMINIUM
H.FB6	H.FC6





Q23.151



Colours:
 moulded Black - White - Green
 painted Antique Green
 Antique Bronze
 Diffuser: Transparent - Opal


E 27 - MAX 60W

4 FACES LANTERN MEDIUM SIZE


Resin lamps with GOLIA lantern pre-wired and complete with screws for fixing







OFIR/TOBIA


Q33.132


CEFA/ADAM/SIMON/GOLIA/TOBIA


Q33.171


SICHEM/TOBIA

Q33.121


TOBIA

Q33.000



Colours:


moulded Black - White - Green
painted Antique Green
Antique Bronze
Diffuser: Transparent - Opal

LOT/TOBIA

Q33.113


MIRRA/TOBIA

Q33.142



Pcs 1
Kg 5,4
mc 0,061

	GIS MAX 100W E27		
CLOSED DIFFUSER IP 55	SL 25W E27		
	DULUX EL 23W E27		
	PLC 23W E27		WITHOUT BALLAST

	MBF 50W E27		
	80W E27		
	SON 50W E27		
	70W E27		


	HQI 70W E27		
OPEN DIFFUSER*	MBF 125W E27		
	SON 100W E40		
	HQI 100W E40		WITH BALLAST

RICU/TOBIA


Q33.157 expanse resin & steel


GIGI/TOBIA


Q33.156 expanse resin & steel


ARTU'/TOBIA


Q33.158 expanse resin & steel


ALOE'R/TOBIA

Q33.163 resin


IAFET.R/TOBIA


Q33.162 resin


BREAKLIGHT (OPTIONAL)
WHITE ALUMINIUM

H.FB6







CHROME ALUMINIUM

H.FC6







GLOBE 250










Colours:

moulded Black - White - Green
painted Antique Green
Antique Bronze
Diffuser: Transparent - Opal
Smoked



- E 27 – MAX 60W**
- Lampade in resina con lanterna globo Ø 250 elettrificate e complete di viti per il fissaggio
 - Resin lamps with Ø 250 globe lantern pre-wired and complete with screws for fixing
 - Lampes en resine avec boule Ø 250 précablées et completes avec vis de fixation
 - Kunstharzlampen mit elektrifizierte Kugel Ø 250 und mit allen Befestigungsschrauben versehen
 - Lamparas de resina con globo Ø 250 electricificada y con tornillos para su fijacion
 - Armadura em resina, com globo Ø 250 electricificada y con accesorios de fixacao



GLOBE 300



G30.162



G30.157.R20



G30.157.R30



G30.120










G30.142



G30.111









G30.132



Colours:
 moulded Black - White - Green
 painted Antique Green
 Antique Bronze
 Diffuser: Transparent - Opal
 Smoked

E 27 - MAX 75W

- Lampade in resina con lanterna globo Ø 300 elettrificate e complete di viti per il fissaggio
- Resin lamps with Ø 300 globe lantern pre-wired and complete with screws for fixing
- Lampes en résine avec boule Ø 300 précablées et complètes avec vis de fixation
- Kunstharzlampen mit elektrifizierte Kugel Ø 300 und mit allen Befestigungsschrauben versehen
- Lamparas de resina con globo Ø 300 electricada y con tornillos para su fijacion
- Armadura em resina, com globo Ø 300 electricada y com acessorios de fixacao



GLOBE 300

 fumagalli®



G30.252



G30.252



G30.241




G30.251



G30.251



G30.280


LANDO 1400/G300

G30.287

LANDO 1900/G300

G30.288

ELISSA 1400/G300
ELISSA 1400/G300

G30.280

ELISSA 1900/G300

G30.281

GLOBE 300

G30.B30.M



310

 Pcs 2
Kg 28
mc 0,059
E27
MAX 60 WE27
MAX 190 mm
Colours:

 moulded **Black - White -
Green - Grey**

 Diffuser: **Transparent - Opal
Smoked**
E 27 - MAX 75W

**■ Lampade in resina con
globo Ø 300 elettrificata
e complete di viti per il
fissaggio**

**■ Resin lamps with Ø 300
globe pre-wired and
complete with screws for
fixing**

**■ Lampes en résine avec
boule Ø 300 précablées et
complètes avec vis de
fixation**


**■ Kunstharzlampen mit
elektrifizierte Kugel Ø 300
und mit allen
Befestigungsschrauben
versehen**

**■ Lamparas de resina con
globo Ø 300 electricificado y
con tornillos para su fijacion**

**■ Armadura em resina, com
globo Ø 300 electricada y
com accesorios de fixacao**


SIRIO/GLOBE 300

G30.252


 Pcs 2
Kg 5,2
mc 0,128

ILIO/GLOBE 300

G30.251


 Pcs 2
Kg 5,7
mc 0,1144

LANDO 1400/G300

G30.287

LANDO 1900/G300

G30.288

ELISSA 1400/G300
ELISSA 1400/G300


G30.280

ELISSA 1900/G300

G30.281


GLOBE 300

G30.B30.M

1400
1900

G30.287

G30.288

 Pcs 2
Kg 8,2
mc 0,153
1400
1900

G30.280

G30.281

 Pcs 2
Kg 9,2
mc 0,200

ARGO/GLOBE 300

G30.241

FEBO.R 500/G300


G30.261 resin

FEBO.R 1000/G300


G30.262 resin

FEBO 1500/G300


G30.263 expanse resin & steel



800



1300



1800

FEBO.R 500/G300

G30.261 resin

G30.261

resin

Ø 180


Ø 180</div

GLOBE 300


Fumagalli®




G30.265



G30.285



G30.265.L20




G30.265.L30

ORIONE 2450/GLOBE 300

G30.284

ORIONE 2850/GLOBE 300


G30.285

G30.284Pcs 2
Kg 24,7
mc 0,225**G30.285**Pcs 2
Kg 28,4
mc 0,246
ENEA 2000/GLOBE 300

G30.264


ENEA 2400/GLOBE 300

G30.265

G30.264Pcs 2
Kg 22,7
mc 0,171**G30.265**Pcs 2
Kg 26,4
mc 0,192
ENEA 2000 ELI/G300 2+1
ENEA 2400 ELI/G300 2+1


G30.264.L21

G30.265.L21

G30.264.L21Pcs 2
Kg 35,7
mc 0,400**G30.265.L21**Pcs 2
Kg 39,4
mc 0,421
ENEA 2000 ELI/G300 2L
ENEA 2400 ELI/G300 2L


G30.264.L20

G30.265.L20

G30.264.L20Pcs 2
Kg 33,1
mc 0,340**G30.265.L20**Pcs 2
Kg 36,8
mc 0,361
ENEA 2000 ELI/G300 3L
ENEA 2400 ELI/G300 3L

G30.264.L30





G30.265.L30

G30.264.L30Pcs 2
Kg 36,7
mc 0,400**G30.265.L30**Pcs 2
Kg 40,4
mc 0,421

SAURO

Fumagalli®





AVAILABLE VERSIONS			
WITHOUT BALLAST	GLS MAX SL CFL	100W 25W 23W	E27 E27 E27
WITH BALLAST	MBF SON HQI	50W 80W 50W 70W 70W	E27 E27 E27 E27 E27

- Insulation class: II
- Protection rating: IP55
- Moulded colours in paste, no maintenance or painting required.
- Ceramic lampholder E27
- Hexagonal key supplied for external locking screws
- Resin post (3 sizes available)and resin wall bracket, made in one piece only without joints, rust and corrosion -free.

BALLAST KIT (OPTIONAL)

SON SODIUM VAPOR
REF. CODE
50 W HO.BAL.S50
70 W HO.BAL.S70

HQI METAL HALIDE
REF. CODE
70 W HO.BAL.H70

MBF MERCURY VAPOR
REF. CODE
50 W HO.BAL.M50
80 W HO.BAL.M80

BREAKLIGHT (OPTIONAL)

ALUMINIUM WHITE COLOUR H.FB1	ALUMINIUM CHROME COLOUR H.FC1	RESIN WHITE COLOUR H.FRA.D15



COMING SOON
AVAILABLE FROM END 2010

Recessed Lamp


LETI 100 SQUARE/ROUND



Recessed luminaries equipped with LED plate suitable for installation in walls or in step risers. Made in shockproof POLYCARBONATE material, UV rays stabilized, rust and corrosion free. No maintenance or painting required. Insulation class II, protection rate IP 66. Modular square or round front cover system.



2C1.000



2C2.000



2C3.000



2C4.000



3C1.000



3C2.000



3C3.000




3C4.000

RECESSED LUMINARIES WITH SQUARE COVERS

Square covers available in different versions to get a diffuse or a downwards directed light without glaring.


LETI 100 SQUARE

3C1.000




LETI 100 SQUARE-GR

3C2.000




LETI 100 SQUARE-EL

3C3.000



LETI 100 SQUARE-ST

3C4.000




RECESSED LUMINARIES WITH ROUND COVERS

Round covers available in different versions to get a diffuse or a downwards directed light without glaring.


LETI 100 ROUND

2C1.000




LETI 100 ROUND-GR

2C2.000





LETI 100 ROUND-EL

2C3.000



LETI 100 ROUND-ST

2C4.000



- moulded colours: **Black - White - Grey**
diffuser PMMA: **opal - clear**
- Cover housing and installation housing made in shockproof polycarbonate material, UV rays stabilized, rust and corrosion free
- Covers available in different shapes allowing a diffuse or a downwards light emission
- Opal or clear PMMA diffuser with flat shape
- Housing provided with high quality silicone rubber gasket
- Installation housing to be cemented into the wall before installing the luminaries
- Equipped with LED plate
- Stainless steel locking screws
- Double cable entry with silicone cable gland



COMING SOON

LETI 200

AVAILABLE FROM END 2010



4C1.000




4C4.000



4C2.000



4C3.000



4C5.000


Recessed luminaries suitable for installation in walls or in step risers. Made in shockproof POLYCARBONATE material, UV rays stabilized, rust and corrosion free. No maintenance or painting required. Insulation class II, protection rate IP 66. Modular front cover system. Version with LED plate or with compact fluorescent lamp available.

WALL RECESSED WITH DIFFUSE LIGHT

Frame or grill shaped covers for installation in horizontal or vertical position.


LETI 200

4C1.000




LETI 200-GL

4C2.000



LETI 200-RS

4C3.000




WALL RECESSED WITH DOWNWARDS DIRECTED LIGHT

Half screen cover to direct downwards the lighting output without glaring.





LETI 200-HS

4C4.000



LETI 200-VP

4C5.000





- Moulded colours: **Black - White - Grey**
Diffuser PMMA: **opal - clear**
- Cover housing and installation housing made in shockproof polycarbonate material, UV rays stabilized, rust and corrosion free
- Covers available in different shapes allowing a diffuse or a downwards light emission
- Opal or clear PMMA diffuser with flat shape
- Housing provided with high quality silicone rubber gasket
- Installation housing to be cemented into the wall before installing the luminaries
- Version with LED plate or with CFL lamps
- Stainless steel locking screws
- Double cable entry with silicone cable gland



COMING SOON

LETI 300

AVAILABLE FROM END 2010




Recessed luminaries suitable for installation in walls or in step risers. Made in shockproof POLYCARBONATE material, UV rays stabilized, rust and corrosion free. No maintenance or painting required. Insulation class II, protection rate IP 66. Modular front cover system. Version with LED plate or with compact fluorescent lamp available.

WALL RECESSED WITH DIFFUSE LIGHT

Frame or grill shaped covers for installation in horizontal or vertical position.


LETI 300

5C1.000




LETI 300-GL

5C2.000



LETI 300-RS

5C3.000




WALL RECESSED WITH DOWNWARDS DIRECTED LIGHT

Half screen cover to direct downwards the lighting output without glaring.



LETI 300-HS

5C4.000



LETI 300-VP

5C5.000



- Moulded colours: **Black - White - Grey**
Diffuser PMMA: **opal - clear**
- Cover housing and installation housing made in shockproof polycarbonate material, UV rays stabilized, rust and corrosion free
- Covers available in different shapes allowing a diffuse or a downwards light emission
- Opal or clear PMMA diffuser with flat shape
- Housing provided with high quality silicone rubber gasket
- Installation housing to be cemented into the wall before installing the luminaires
- Version with LED plate or with CFL lamps
- Stainless steel locking screws
- Double cable entry with silicone cable gland



COMING SOON

EXTRALETI 300

AVAILABLE FROM END 2010




Wall and ceiling surface mount luminaries made in shockproof POLYCARBONATE material, UV rays stabilized, rust and corrosion free. No maintenance or painting required. Insulation class II, protection rate IP 66. Modular front cover system. Version with LED plate or with compact fluorescent lamp available.

SURFACE MOUNT WITH DIFFUSE LIGHT

Frame or grill shaped covers for installation in horizontal or vertical position.


EXTRALETI 300

5S1.000




EXTRALETI 300-GL

5S2.000



EXTRALETI 300-RS

5S3.000




SURFACE MOUNT WITH DOWNWARDS DIRECTED LIGHT

Half screen cover to direct downwards the lighting output without glaring.




EXTRALETI 300-HS

5S4.000



EXTRALETI 300-VP

5S5.000



- moulded colours: **Black - White - Grey**
diffuser PMMA: **opal - clear**
- Cover and body made in shockproof polycarbonate material, UV rays stabilized, rust and corrosion free
- Covers available in different shapes allowing a diffuse or a downwards light emission
- Opal or clear PMMA diffuser with flat shape
- Body provided with high quality silicone rubber gasket
- Version with LED plate or with CFL lamps
- Stainless steel locking screws



COMING SOON

POSTLETI 300

AVAILABLE FROM END 2010




Post luminaries suitable for single or double installation on GABRI and MINIGABRI poles. Made in shockproof POLYCARBONATE material, UV rays stabilized, rust and corrosion free. No maintenance or painting required. Insulation class II, protection rate IP 66. Modular front cover system. Version with LED plate or with compact fluorescent lamp available.



5P3.613.020






5P2.613.010










5P5.613.010



5P2.610.010




Moulded colours:
Black - White - Grey
Diffuser PMMA:
Opal - Transparent




BULKHEAD RANGE AND ACCESSORIES


ROUND BULKHEAD




OVAL BULKHEAD




LUCIA-EL
2R3.000




MADDI-VE
2V3.000



LUCIA-GD
3R3.000



MADDI-HL
3V3.000



POSTS




GABRI - 000.613

\varnothing 240
+ screws

MINIGABRI - 000.612

\varnothing 240
+ screws

BRACKET




Polycarbonate bracket for wall and post installation with single or double lights.

Polycarbonate posts available in two sizes. The bulkheads can be fixed straight on the posts or with REMI bracket to direct the light at 35°.



- Cover made in shockproof polycarbonate UV rays stabilized. Ring, eyelid and guard versions available.
- Cover in policarbonato antiurto stabilizzato ai raggi UV, disponibile nella versione ad anello, a palpebra e a manubrio.
- Diffuser of UV stabilized polymethylmethacrylate (PMMA), one piece only, available in opal or clear colour, provided with high quality silicone rubber gasket.
- Diffusore in un unico pezzo realizzato in polimetilmacrilato (PMMA) stabilizzato ai raggi UV, disponibile in colore opale o trasparente, completo di guarnizione in gomma ad alta qualità.
- Highly heat resistant reflective plate made by shockproof polycarbonate UV rays stabilized.
- Piatto riflettente ad alta resistenza al calore in policarbonato antiurto stabilizzato ai raggi UV.
- Base made in shockproof polycarbonate, UV rays stabilized, suitable for the electrical devices fixation.
- Base realizzata in policarbonato antiurto, stabilizzato ai raggi UV, adatta ad alloggiare gli accessori elettrici.



PACKING - WHOLESALERS



Technic! design



GARDEN RANGE DIFFUSERS

HEXAGONAL LANTERS

Small Size

ANNA - E22.000



Ø 60
310

SABA - K22.000



Ø 60
320

SQUARE LANTERNS

Medium Size

RUT - E26.000



Ø 60
410

SALEM - K26.000



Ø 60
410

GOLIA - Q23.000



Ø 60
360


CEFA - U23.000



Ø 60
380


Large Size

NOEMI - E35.000




Ø 60
530

SILOE - K35.000



Ø 60
530

TOBIA - Q33.000




Ø 60
520

SIMON - U33.000




Ø 60
560

BOLLARD




150
1100
Ø245

SAURO 800 - D15.554



150
800
Ø245

SAURO 500 - D15.553






150
500
Ø245

GLOBE

DIFFUSERS

GLOBE 250 - G25.B25



GLOBE 300 - G30.B30

HALF

LANTERNS

IESSE - M22.000




G30.B30.M

DARIA - M28.000




MIRELLA - D15.505



PMMA

DIFFUSER



RECYCLABLE



UV TREATED



ANTI-SHOCK



CLASS II



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

MOULDED

COLOURS



PAINTED

COLOURS



GARDEN RANGE COMPONENTS - CLASSIC



BISSO WALL BRACKET H.131.WAL	PORPORA WALL BRACKET 000.141	ADAM WALL BRACKET H.171.WAL									
H.131.WAL	000.141	H.171.WAL									
OFIR WALL BRACKET H.132.WAL	MIRRA WALL BRACKET 000.142	OFIR SYSTEM 2L 000.R20									
H.132.WAL	000.142	000.R20									
MINI CHAIN H.120	MINI CHAIN H.122	OFIR SYSTEM 3L 000.R30									
H.120 for Anna - Rut Golia - G250 G300	H.122 for Saba - Salem Cefa	000.R30									
BISSO SYSTEM 2L 000.S20	BISSO SYSTEM 2+1 000.S21	BISSO SYSTEM 3L 000.S30	BISSO SYSTEM 3+1 000.S31								
000.S20 2	000.S21 2+1	000.S30 3	000.S31 3+1								
CHAIN H.121.TUB	CHAIN H.123.TUB	IAFER.R 000.162 resin	MIZAR.R 000.151 resin	ALOE.R 000.163 resin	ARTU' 000.158 exp. resin & steel	GIGI 000.156 exp. resin & steel	RICU 000.157 exp. resin & steel				
H.121.TUB for Tobia - Simon Noemi	H.123.TUB for Siloe	Ø 60 2000	Ø 60 1500	Ø 60 1100	Ø 60 1750	Ø 60 2000	Ø 60 2000				
MIKROLIT H.110	MINILOT H.111	LOT H.113	Ø 60 107	Ø 60 145	Ø 190 700	Ø 190 770	Ø 190 1100	Ø 245 1500	Ø 245 1750	Ø 245 2000	Ø 245 2000
screws	screws	screws	cage A	screws	cage A	cage B	cage B	cage B	cage B	cage B	cage B


GARDEN RANGE COMPONENTS - MODERN


WHEN ORDERING COMPONENTS, PLEASE ADD THE FOLLOWING REFERENCE TO OUR ITEM CODE AFTER THE CASE **H** TO SPECIFY THE COMPONENT COLOUR:

- A** BLACK
- W** WHITE
- G** GREEN
- L** GREY
- V** ANTIQUE GREEN*
- B** ANTIQUE BRONZE*




Example:

HA.131.WAL BISSO BRACKET IN BLACK COLOUR
 HW.131.WAL BISSO BRACKET IN WHITE COLOUR


*Painted colours available on classic range only




Cages




ARGO	FEBO500	FEBO1000	FEBO1500	ENEA2000	ENEA2400	ENEA2800
000.241 resin	000.261 resin	000.262 resin	000.263 expansive resin & steel	000.263	000.264 expansive,resin & steel	000.265



ILIO WALL BRACKET



SIRIO WALL BRACKET



Exhibitors








PACKING - WHOLESALERS




TECHNICAL ASSISTANCE



Lighting calculation software



Photometric archive



Environmental simulations



Static and wind load calculations

A specialized team of lighting professionals is permanently at our customers' disposal to provide a qualified product technical support, to supply lighting diagrams and to give advice about the optimal article selection and light sources distribution, according the customer's needs.

In addition, our technical division can provide at any time the following information and services to our worldwide customers:

- **photometric data** for all Fumagalli diffusers with different wattages: they are available on request in eulumdat, iesna 86/91/95, cibse\1, ltli
- **calculation of the average horizontal luminance** and of the isolux curves at a given high level
- **wind load calculations**

Our multilingual lighting calculation software is available for lighting designers and includes the technical and photometric data of the full range of Fumagalli products, together with the electronic catalogue of all the range.

Our company joined the "Oxytech Litestar open" consortium, which sees the subscription of the most important lighting manufacturers worldwide.

From Fumagalli web site (www.fumagalli.it) or Oxytech web site (www.oxytech.it) it is now possible to download the lighting software with the photometric datas and the technical specifications of all Fumagalli luminaries.

NEW

Un team dedicato di professionisti della luce è permanentemente a disposizione dei nostri clienti per fornire un qualificato supporto tecnico relativo al prodotto, per elaborare studi fotometrici e per fornire consigli sulle soluzioni ottimali relative alla selezione degli articoli e alla distribuzione delle sorgenti luminose in una data area.

In aggiunta, il nostro dipartimento tecnico può fornire in ogni momento ai nostri clienti in tutto il mondo le seguenti informazioni e servizi:

- **dati fotometrici** di tutti i diffusori Fumagalli con diversi wattaggi: questi sono disponibili su richiesta nei formati eulumdat, iesna 86/91/95, cibse\1, ltli
- **calcolo dell'illuminamento medio** orizzontale e delle curve isolux ad una data altezza
- **calcoli relativi alla resistenza al vento**

Il nostro software per calcoli illuminotecnica, tradotto in 11 lingue, è a disposizione di tutti i lighting designers che ne facciano richiesta e include i dati tecnici e fotometrici dell'intera gamma dei prodotti Fumagalli assieme al catalogo elettronico dei prodotti stessi.


La nostra azienda è entrata nel consorzio "Oxytech Litestar open" al quale aderiscono i principali produttori di illuminazione mondiale.

E' ora possibile scaricare dal sito Fumagalli (www.fumagalli.it) o dal sito Oxytech (www.oxytech.it) il software di calcolo illuminotecnico dove sono caricate le fotometrie e le schede tecniche di tutti i diffusori Fumagalli.


NOVITA'

PHOTOMETRIC DATA


SAURO LED



SAURO




GOLIA



CEFA






TOBIA




SIMON




ANNA**SABA****RUT****SALEM****NOEMI****SILOE**



GLOBE 250





GLOBE 300- CLASSIC AND MODERN




IESSE




DARIA




LUCIA LED




LUCIA




LUCIA-EL




LUCIA-GD




MADDI LED




MADDI



MADDI-VE



MADDI-HL





Comply with the EC 89/336/EEC and ce 72/23/EEC



Protection against solid bodies Ø > 1mm only and water spray



Protection against dust and water jets



Dust tight and protection against heavy seas



Double class of insulation. No grounding required



Made in vandal resistant materials






Fixture manufactured with materials stabilized against the U.V. rays. Antiyellowing



Fixture manufactured in materials that can be recycled

References



ITALY

PORTUGAL



ENGLAND



IRELAND



CYPRUS



Jieh Marina Resort




LEBANON



Beirut - City Centre

TAIWAN



SINGAPORE



PHILIPPINES

Roxas Boulevard - Manila




MALAYSIA



TUNISIE



Sheraton Hotel - Tunisi



MOROCCO



QATAR




House of Minister of Education





Al Bustan Palace - Muscat



Ministry of Justice - Muscat



OMAN



U.A.E.



All the material published on this catalogue is protected by copy right, no part can be reproduced or used in any way, without the previous consent of the company Fumagalli S. r. l. Photographs and drawings will be provided on CD; in TIFF, EPS, JPG, PDF format. At any time the company Fumagalli S. r. l. has the right to introduce changes on its products without notice.

This catalogue replaces and cancels the previous catalogue versions.



Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese – Italy
Tel. +39.0332.336353 (4 lines)
Fax +39.0332.336358 (2 lines)
e-mail: italian.lux@fumagalli.it
<http://www.fumagalli.it>

made in Italy